Table 2.3.11. Knights Trail Development Standards

Knights Trail Development Standards Table Standard **Measurement Requirement Building Height** 35' by right 46' through Height Exception Non-Res. /Multi- Family Single Family Single Family Attached Detached and Two Family/Paired Front (Street) Building <u>Villas</u> Placement (min/max) 15'/100' <u>15'</u> <u>15'</u> 10'/50' <u>5'</u> Side 0' 10'/50' Rear <u>10'</u> 10' <u>90'</u> Lot Length (min) 100' <u>100'</u> <u> 20'</u> Width (min) 50' <u>40'</u> 10%/75% 75% 75% Coverage (min/max) Building % Requirement Not Restricted Frontage Maximum Length: 25' or 50% Encroachments Requirement of building frontage, whichever is less N/A Maximum Encroachment: 6' Minimum Clearance: 8' Active Use Areas defined by/as Design Alternative. As part of Design Active Use Area (AUA) Alternative request, building placement and building frontage requirements may be modified to accommodate the Active Use Area. Entrances Oriented to primary street. Direct pedestrian access is N/A required from the public sidewalk to the street-facing entrance of the building. Architecture Style The following Venice Historic Precedent standards are required: 7.10.3. Facades and Exterior Walls 7.10.5. Roofs 7.10.7. Other Building Features (2 or more categories A—D)

	Blank Wall Area	Blank wall area is prohibited when the wall is adjacent to a street. Where applicable, design elements of the Venice Historic Precedent may be found in Secs. 7.10.6. through 7.10.7.
Parking	Placement	Not restricted. On-street parking may be permitted on internal streets.
	Percentage of Minimum Parking Required	100%
	Access	Access to internal street only; access directly into parking from Knights Trail prohibited where an alternative exists.
	Loading	See Section 3.6.5: Design Standards