



NORTH ELEVATION

3/32"=1'-0"@ 11X17
 3/16"=1'-0"@ 22X34

PARAPET WALL TO BE 42" MIN ABOVE ROOFTOP WALKING SURFACE AS REQUIRED BY FOR LIFE SAFETY THE FLORIDA BUILDING CODE

REQUIRED HEIGHT CALCULATIONS

METHOD 1- DEP REQUIRED ELEVATION


METHOD 2- FEMA REQUIRED ELEVATION

METHOD 3- AVERAGE CROWN OF ROAD HEIGHT= 12.30
 CROWN OF ROAD PLUS 1.5 FEET= 13.80

METHOD 4- AVERAGE EXISTING GRADE

CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMiami TRAIL N.
 VENICE, FL 34285
 11/7/2022



WEST ELEVATION


3/32"=1'-0"@ 11X17
 3/16"=1'-0"@ 22X34

13.80' \oplus
 CROWN OF ROAD + 1.5'
 12.29' \oplus
 F.F.E.



SOUTH ELEVATION

3/32"=1'-0" @ 11X17
 3/16"=1'-0" @ 22X34



EAST ELEVATION

3/32"=1'-0" @ 11X17
 3/16"=1'-0" @ 22X34

CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMiami TRAIL N.
 VENICE, FL 34285
 11/7/2022







CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMiami TRAIL N.
 VENICE, FL 34285
 11/7/2022







1 PARAPET MOLDING DETAIL
SCALE: 1" = 1'-0"




2 TRIM DETAIL
SCALE: 1" = 1'-0"




3 EAVE MOLDING DETAIL
SCALE: 1" = 1'-0"




4 TRIM DETAIL
SCALE: 1" = 1'-0"




5 TRIM DETAIL
SCALE: 1" = 1'-0"




6 WALL SIGN TRIM DETAIL
SCALE: 1" = 1'-0"




7 BRACKET DETAIL
SCALE: 1" = 1'-0"




8 KEYSTONE DETAIL
SCALE: 1" = 1'-0"




9 MEDALLION DETAIL
SCALE: 1" = 1'-0"




10 SMOOTH BRACKET DETAIL
SCALE: 1" = 1'-0"




11 TRELLIS DETAIL
SCALE: 1" = 1'-0"




12 BALUSTRADE CURB DETAIL
SCALE: 3/4" = 1'-0"



13 WINDOW DETAIL
SCALE: 1/2" = 1'-0"



14 WINDOW DETAIL
SCALE: 1/2" = 1'-0"



15 WINDOW DETAIL
SCALE: 1/2" = 1'-0"


CASSATA SQUARE

A NEW MIXED USE PROJECT
DESIGNED FOR:
CS OF VENICE DEVELOPMENT CO.
625 TAMIAMI TRAIL N.
VENICE, FL 34285
11/7/2022

ELEVATION DETAILS

1/2 SCALE @ 11X17
FULL SCALE @ 22X34






CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMIAMI TRAIL N.
 VENICE, FL 34285
 11/7/2022

FIRST FLOOR PLAN

3/32"=1'-0"@ 11X17
 3/16"=1'-0"@ 22X34





CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMIAMI TRAIL N.
 VENICE, FL 34285
 11/7/2022

SECOND FLOOR PLAN

3/32"=1'-0"@ 11X17
 3/16"=1'-0"@ 22X34






CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMIAMI TRAIL N.
 VENICE, FL 34285
 11/7/2022

THIRD FLOOR PLAN

3/32"=1'-0"@ 11X17
 3/16"=1'-0"@ 22X34






CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMIAMI TRAIL N.
 VENICE, FL 34285
 11/7/2022


ROOF PLAN
 3/32"=1'-0"@ 11X17
 3/16"=1'-0"@ 22X34





DUMPSTER ENCLOSURE PLAN

1/4"=1'-0"@ 11X17
 1/2"=1'-0"@ 22X34



DUMPSTER ENCLOSURE ELEVATION

1/4"=1'-0"@ 11X17
 1/2"=1'-0"@ 22X34



CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMIAMI TRAIL N.
 VENICE, FL 34285
 11/7/2022





SITE FENCING AND GATES

Style = Marble
 Height = 42"
 Color = Black



PRIVACY FENCING


Style = Dogwood
 Height = 6'-0"
 Color = Sand




CASSATA SQUARE
 A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMIAMI TRAIL N.
 VENICE, FL 34285
 11/7/2022



Residential Unit Balcony Railing
Style = 3-Rail with Ring Top Accent Top Panel
Height = 42" MIN
Color = White



FRONT VIEW



CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMIAMI TRAIL N.
 VENICE, FL 34285
 11/7/2022



Main Body

Sherwin-Williams - Whitetail SW 7103

Accent Body - Base

Sherwin-Williams - Rivers Edge SW 7517

Trim - Dumpster Enclosure

Sherwin-Williams - Dhurrie Beige SW 7524

Accents - Brackets

Sherwin-Williams - Polished Mahogany SW 2838

Fascia - Balustrade - Keystone Trim

Sherwin-Williams - Pure White SW 7005

Windows - Retail Entries - Balcony Doors

White

Tile Roof

Eagle Roofing Products - Capistrano - Terracambra Range

Fabric Canopies

Sunbrella - Sky Blue


CASSATA SQUARE

A NEW MIXED USE PROJECT
DESIGNED FOR:
CS OF VENICE DEVELOPMENT CO.
625 TAMiami TRAIL N.
VENICE, FL 34285
11/7/2022





MORRIS CAT#: 75118A
LED Driverless Gooseneck Flood light
40W, 120/240/277V, 3000K, Black



Features:

- Clear Polycarbonate Lens
- Swivel head fixture
- Operating Temperature: -40°F to 122°F
- Photocell Included
- Powder Coated: Black
- Aluminum Housing
- Environment: IP65 Rated - Suitable for Wet Locations
- Certification: ETL
- 5 Year Limited Warranty


Part#	Input/Wattage	Volts	Lumens	CCT	CRI	Dimming	Light Pattern	Lumens/Watt
75118A	40W	120/240/277	4,800	3000K	>72	N/A	Outdoor	134lm/w

CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMIAMI TRAIL N.
 VENICE, FL 34285
 11/7/2022

DECORATIVE ACCENT LIGHT







CASSATA SQUARE

A NEW MIXED USE PROJECT
 DESIGNED FOR:
 CS OF VENICE DEVELOPMENT CO.
 625 TAMIAMI TRAIL N.
 VENICE, FL 34285
 11/7/2022

URBAN CONTEXT PHOTOS





GENERAL LANDSCAPE REQUIREMENTS - LOT A & B

A MINIMUM OF 40 TREE INCHES PER ACRE OF APPROVED TREES ARE REQUIRED.
 LOT SIZE = 49,878 SQUARE FEET (LOS ADRES X 40 = 4203 TREE INCHES)
 REQUIRED TREE INCHES = 42
 TREES INCHES PROVIDED = 46,999
 10 - SHADY LADY BLACK OLIVE BUDA DUCLOS 'SHADY LADY' 65 GALLON
 5 - TABEBUIA CARAIBA 65 GALLON
 5 - TABEBUIA GOLD TREES 65 GALLON (10 X 5.0" = 50")
 5 - SARGOL PALMS 10' (6 X 5.0" = 30")
 SARGOL PALMS CALCULATED AT 5:10 RATIO
 1 - WILD DATE PALM 2" (6 X 5.0" = 30")
 ALL REPLACEMENT CANOPY TREES SHALL BE A MINIMUM OF THREE INCHES CALIPER MEASURED NO CLOSER THAN SIX INCHES FROM THE GROUND.
 ALL REPLACEMENT UNDERSTORY TREES SHALL BE A MINIMUM OF ONE AND ONE-HALF INCHES CALIPER MEASURED NO CLOSER THAN SIX INCHES FROM THE GROUND AND BE A MINIMUM EIGHT FEET IN HEIGHT FROM GRADE.
 SARGOL PALMS MAY BE PLANTED AT A RATE EQUIVALENT TO THREE PALMS TO ONE REQUIRED TREE, THREE TREE INCHES. PALMS SHALL NOT CONSTITUTE MORE THAN TWENTY-FIVE PERCENT OF THE REQUIRED TREE INCHES.
 REPLACEMENT TREES SHALL BE FLORIDA NO. 1 OR GREATER.

INTERIOR LANDSCAPE - LOT A & B

- 40 - TOTAL NUMBER OF INTERIOR PARKING SPACES NOT ADJACENT TO PERIMETER LANDSCAPE BUFFERS.
 - 10 SQUARE FEET OF INTERIOR LANDSCAPE REQUIRED PER PARKING SPACE.
 - 400 SQUARE FEET OF INTERIOR LANDSCAPE REQUIRED FOR PARKING SPACES.
 - 2,984.00 - TOTAL SQUARE FEET OF OTHER VEHICLE USE AREAS.
 - 10 SQUARE FEET OF INTERIOR LANDSCAPE REQUIRED PER 100 SQUARE FEET OF OTHER VEHICLE USE AREAS.
 - 198.29 SQUARE FEET OF INTERIOR LANDSCAPE REQUIRED FOR OTHER VEHICLE USE AREAS.
 - 999.29 TOTAL SQUARE FEET OF INTERIOR LANDSCAPE REQUIRED FOR PARKING AND OTHER VEHICLE USE AREAS.
 - 975.36 TOTAL SQUARE FEET OF INTERIOR LANDSCAPE PROVIDED.
 - THREE PER 50 LINEAR FEET OF ADJUTING TIERS OF PARKING REQUIRED.
 - 108 LINEAR FEET OF ADJUTING TIERS OF PARKING PROVIDED.
 - 3 TREES PROVIDED FOR ADJUTING TIERS OF PARKING.
 - 5 - SHADY LADY BLACK OLIVE TREES.
 - THREE PER 100 SQUARE FEET OF REQUIRED INTERIOR SPACE IS REQUIRED.
 - 6 TREES PROVIDED FOR INTERIOR LANDSCAPE PROVIDED.
 - 7 TREES PROVIDED FOR INTERIOR LANDSCAPE.
 - 5 - SHADY LADY BLACK OLIVE TREES.
 - MINIMUM TREE SIZE REQUIREMENTS:
 * 10" OVERALL HEIGHT.
 * 4" SPREAD.
 * 5" CALIPER AT 6" ABOVE GRADE.
 - MINIMUM SHrub SIZE REQUIREMENTS:
 * 24" HEIGHT AT PLANTING.
 * 56" ON CENTER SPACING.
 - NO TREES OR SHRUBS TO BE PLANTED WITHIN 6" OF UNDERGROUND UTILITY APPURTENANCES.
 - PER SECTION 66-457 AND SECTIONS 66-460 THROUGH 66-464 OF THE VENICE FLORIDA CODE OF ORDINANCES.

SOUTH PROPERTY LANDSCAPE BUFFER - LOT A & B

- 125.59' OF FRONTAGE WITH VEHICLE USE.
 - 1 TREE PER 50 LINEAR FEET REQUIRED.
 - 3 TREES PROVIDED.
 - 4 TOTAL TREES PROVIDED.
 - 4 CANOPY TREES PROVIDED.
 - 4 - TABEBUIA CARAIBA TREES.
 - MINIMUM TREE SIZE REQUIREMENTS:
 * 10" OVERALL HEIGHT.
 * 4" SPREAD.
 * 5" CALIPER AT 6" ABOVE GRADE.
 - MINIMUM 5' WIDE LANDSCAPE BUFFER WITH CONTINUOUS HEDGE.
 - MINIMUM SHrub SIZE REQUIREMENTS:
 * 24" HEIGHT AT PLANTING.
 * 56" ON CENTER SPACING.
 - NO TREES OR SHRUBS TO BE PLANTED WITHIN 6" OF UNDERGROUND UTILITY APPURTENANCES.
 - PER SECTION 66-457 OF THE VENICE FLORIDA CODE OF ORDINANCES.
 - SEE ENVIRONMENTALIST PLAN FOR ADDITIONAL PROPOSED PLANTINGS ALONG SOUTH PROPERTY LINE. SHEET # 349

WEST PROPERTY LANDSCAPE BUFFER - LOT A & B

- 125.59' OF FRONTAGE WITH VEHICLE USE.
 - 1 TREE PER 50 LINEAR FEET REQUIRED.
 - 3 TREES PROVIDED.
 - 4 TOTAL TREES PROVIDED.
 - 4 CANOPY TREES PROVIDED.
 - 4 - TABEBUIA CARAIBA TREES.
 - MINIMUM TREE SIZE REQUIREMENTS:
 * 10" OVERALL HEIGHT.
 * 4" SPREAD.
 * 5" CALIPER AT 6" ABOVE GRADE.
 - NO LANDSCAPE BUFFER REQUIRED.
 - MINIMUM SHrub SIZE REQUIREMENTS:
 * 24" HEIGHT AT PLANTING.
 * 56" ON CENTER SPACING.
 - NO TREES OR SHRUBS TO BE PLANTED WITHIN 6" OF UNDERGROUND UTILITY APPURTENANCES.
 - PER SECTION 66-456 OF THE VENICE FLORIDA CODE OF ORDINANCES.


EAST PROPERTY LANDSCAPE BUFFER - LOT A & B

- 115.51' OF FRONTAGE WITH VEHICLE USE.
 - 0 TREE PER 50 LINEAR FEET REQUIRED.
 - 0 TREES PROVIDED.
 - 3 TOTAL TREES PROVIDED.
 - 3 CANOPY TREES PROVIDED.
 - 3 - SHADY LADY BLACK OLIVE TREES.
 - MINIMUM TREE SIZE REQUIREMENTS:
 * 10" OVERALL HEIGHT.
 * 4" SPREAD.
 * 5" CALIPER AT 6" ABOVE GRADE.
 - NO LANDSCAPE BUFFER REQUIRED WHEN ADJUTING AN ALLEY.
 - MINIMUM SHrub SIZE AND SPACING REQUIREMENTS:
 * 24" HEIGHT AT PLANTING.
 * 56" ON CENTER SPACING.
 - NO TREES OR SHRUBS TO BE PLANTED WITHIN 6" OF UNDERGROUND UTILITY APPURTENANCES.
 - PER SECTION 66-456 OF THE VENICE FLORIDA CODE OF ORDINANCES.

NORTH PROPERTY LANDSCAPE BUFFER - LOT A & B

- 124.07' OF FRONTAGE WITH VEHICLE USE.
 - 1 TREE PER 50 LINEAR FEET REQUIRED.
 - 3 TREES PROVIDED.
 - 3 TOTAL TREES PROVIDED.
 - 3 CANOPY TREES PROVIDED.
 - 3 - SHADY LADY BLACK OLIVE TREES.
 - MINIMUM TREE SIZE REQUIREMENTS:
 * 10" OVERALL HEIGHT.
 * 4" SPREAD.
 * 5" CALIPER AT 6" ABOVE GRADE.
 - NO LANDSCAPE BUFFER REQUIRED WITH CONTINUOUS HEDGE.
 - MINIMUM SHrub SIZE AND SPACING REQUIREMENTS:
 * 24" HEIGHT AT PLANTING.
 * 56" ON CENTER SPACING.
 - CONTINUOUS HEDGE AT 56" ON CENTER PROVIDED.
 - NO TREES OR SHRUBS TO BE PLANTED WITHIN 6" OF UNDERGROUND UTILITY APPURTENANCES.
 - PER SECTION 66-456 OF THE VENICE FLORIDA CODE OF ORDINANCES.

sheet number
LS-1
 of
1



design: r. harrison
 drawn: ck
 date: 03.12.19
 revised: 02.03.2022
 03.23.2022
 04.26.2022
 job#: 02419

site information taken from boundary and location survey provided by:
 P.L.E.R.
 10225 Thurston Road Suite 4D
 Largo, Florida 33771
 727.408.5207
 03.11.19

THE CASSATA SQUARE LOTS A AND B

A Proposed Landscape Plan for:
THE CASSATA SQUARE LOTS A AND B
 miami avenue & u.s. 41
 venice, florida 34285

2401 North River Road
 Venice, Florida 34292
 P.O. Box 236
 Venice, Florida 34284-0236
 phone: 941.483.1272
 fax: 941.483.6236
 www.hazeltinenurseries.com
 info@hazeltinenurseries.com





2211 Widman Way, Suite 220
Fort Myers, FL 3390
phone: 817-749-9033
website: capstoneps.net
office locations: roanoke, va - fl. myers, fl
FL cert. of auth.: AA26002199

CONSULTANTS
CS JOB #: 5623.00.00

GLOBAL
SANCHEZ INC.
MEPF ENGINEERING

INFO@GLOBAL-SANCHEZ.COM
CA#: 6237

816 MANATEE AVE. E., SUITE 1B
BRADENTON, FL 34208
PHONE: 941-758-2551

3825 HENDERSON BLVD.,
SUITE 103
TAMPA, FL 33629
PHONE: 813-281-0001

PROJECT INFO
**PRIME AT
CASSATA SQUARE**

A NEW RESTAURANT PROJECT

DESIGNED FOR:

CS OF VENICE DEVELOPMENT CO.
333 TAMiami TRAIL, SUITE 205
VENICE, FL 34285

PROJECT LOCATION:

133 Miami Ave E
Venice, FL 34285

SHEET TITLE


**ELECTRICAL
SITE PLAN**

REVISIONS

MARK	DATE	DESCRIPTION
1	11/12/20	PERMIT COMMENTS
2		
3		
4	05/05/22	SITE LIGHTING

PROJECT NO: CPS2020-001.4
CADD FILE:
DRAWN BY: T.RYBALKO
CHK'D BY: P.FEIKEMA
DATE: 8/21/2020 - FOR CONSTRUCTION
SHEET NO.

E1.1



ELECTRICAL SITE PLAN
SCALE: 1" = 20'-0"

△ SHEET REVISED



2211 Widman Way, Suite 220
Fort Myers, FL 3390
phone: 407-749-9033
website: capstoneps.net
office locations: roanoke, va - ft. myers, fl
Fl. cert. of auth.: AA26002199

CONSULTANTS
05 JOB #: 5623.20.00
GLOBAL
SANCHEZ INC.
MEPF ENGINEERING
INFO@GLOBAL-SANCHEZ.COM
CA#: 6237

016 MAHATTA AVE. E., SUITE 103
BRADENTON, FL 34208
PHONE: 941-750-2551
3025 HENDERSON BLVD.,
SUITE 103
TAMPA, FL 33629
PHONE: 813-201-0001

PROJECT INFO
**PRIME AT
CASSATA SQUARE**

A NEW RESTAURANT PROJECT

DESIGNED FOR:
CS OF VENICE DEVELOPMENT CO.
333 TAMiami TRAIL, SUITE 205
VENICE, FL 34285

PROJECT LOCATION:
133 Miami Ave E
Venice, FL 34285


SHEET TITLE
**ELECTRICAL
PHOTOMETRIC
SITE PLAN**

REVISIONS

MARK	DATE	DESCRIPTION
1		
2		
3		
4	05/09/22	SITE LIGHTING

PROJECT NO: CPS2020-001.4
CAD DWG FILE:
DRAWN BY: T.RYBALKO
CHK'D BY: P.FEIKEMA
DATE: 8/21/2020 - FOR CONSTRUCTION
SHEET NO.

E1.2



SYMBOL	DESCRIPTION
(Symbol)	100' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	150' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	200' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	250' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	300' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	350' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	400' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	450' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	500' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	550' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	600' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	650' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	700' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	750' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	800' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	850' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	900' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	950' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	1000' RADIUS SPHERICAL LIGHT FIXTURE

SYMBOL	DESCRIPTION
(Symbol)	100' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	150' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	200' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	250' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	300' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	350' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	400' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	450' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	500' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	550' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	600' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	650' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	700' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	750' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	800' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	850' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	900' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	950' RADIUS SPHERICAL LIGHT FIXTURE
(Symbol)	1000' RADIUS SPHERICAL LIGHT FIXTURE

△ SHEET ADDED

