From: <u>Jeff Shrum</u>

To: Roger Clark; Lisa Olson

Subject: FW: Proposed CPA 21-02 / City of Venice / Expedited State Review / No Comment

**Date:** Tuesday, April 20, 2021 7:32:41 AM

## For the file of record.

From: Suguri, Vitor < Vitor. Suguri@dot.state.fl.us>

**Sent:** Sunday, April 18, 2021 10:01 AM **To:** Jeff Shrum < JShrum@Venicegov.com>

**Cc:** 'DEO - CPA Comments (DCPexternalagencycomments@deo.myflorida.com)'

<DCPexternalagencycomments@deo.myflorida.com>; Reina, Bessie <Bessie.Reina@dot.state.fl.us>; Engala, Todd <Todd.Engala@dot.state.fl.us>; Ambikapathy, Babuji <BAmbikapathy@vhb.com>; jzaballero@vhb.com; Roger Clark <RClark@Venicegov.com>

Subject: Proposed CPA 21-02 / City of Venice / Expedited State Review / No Comment

Caution: This email originated from an external source. Be Suspicious of Attachments, Links and Requests for Login Information

Mr. Shrum,

Pursuant to Section 163.3184(3), Florida Statutes (F.S.), in its role as a reviewing agency as identified in Section 163.3184(1)(c), F.S., the Florida Department of Transportation (FDOT) reviewed the City of Venice's Proposed Comprehensive Plan Amendment (CPA) package 21-02FSR

The proposed amendment seeks to amend the 2017-2027 Comprehensive Plan pursuant to petition No. 20-58CP to incorporate the 2019 City of Venice Water Supply Work Plan by reference and include it in the associated data, inventory and analysis (DIA); providing for severability; providing for repeal of all ordinances in conflict herewith to the extent of such conflict; and providing an effective date.

**FDOT Review Comment:** FDOT determined the proposed amendment has no significant adverse impacts to transportation resources or facilities of state importance.

FDOT appreciates your commitment to intergovernmental coordination and the opportunity to review and comment on the proposed amendment.

Thank you,

## Vitor Suguri, Ph.D.

Community Planner Florida Department of Transportation - District One 10041 Daniels Parkway Fort Myers, FL 33913 (239) 225-1959 - Desk (863) 221-1707 - Cell

