

**EASEMENT TABLE:**

**AA=FLORIDA POWER & LIGHT EASEMENT**  
**OFFICIAL RECORDS INSTRUMENT #2004184135**

**BB=FLORIDA POWER & LIGHT EASEMENT**  
**OFFICIAL RECORDS INSTRUMENT #2004184135**

**CC=ADDITIONAL RIGHT-OF-WAY**  
**OFFICIAL RECORDS INSTRUMENT #2004242187**

**DD=DRAINAGE & SIDE SLOPE EASEMENT**  
**OFFICIAL RECORDS INSTRUMENT #2004242187**

**EE=PROPOSED POND SITE**  
**OFFICIAL RECORDS INSTRUMENT #2004242187**

**FF=PROPOSED WETLAND MITIGATION AND FLOOD PLAIN**  
**COMPENSATION**  
**OFFICIAL RECORDS INSTRUMENT #2004242187**


**LINE TABLE:**

L-1=N.89°51'20"E. 1609.84'(C)  
L-2=N.89°39'40"W. 988.15'(C)  
L-3=S.89°39'40"E.(P)(C) 2666.17'(P)2663.85'(M)  
L-4=S.0°03'10"W. 1253.66'(P) S.0°03'40"W. 1255.16'(C)  
L-5=S.89°42'45"E.(P) S.89°44'03"E. 2235.68'(C)  
L-6=N.89°42'45"W. 2666.66'(P) N.89°44'03"W. 2665.28'(C)  
L-7=N.0°06'40"W. 201.78'(D) N.0°05'11"E. 202.28'(C)  
L-8=S.90°00'00"W. 362.61'(P) S.89°59'40"W. 362.45'(M)  
L-9=N.0°03'05"E.(P) N.0°03'21"E. 1044.34'(C)

FND. 2" CAPPED PIPE WITH  
PUNCH MARK (NO I.D.) AT  
THE SOUTHEAST CORNER  
OF THE NORTHEAST 1/4  
OF SECTION 3, TOWNSHIP  
39 SOUTH, RANGE 19  
EAST

[illegible]





STORM MANHOLE TABLE:

A=STORM MANHOLE	RIM EL.=14.67'
B=STORM MANHOLE	RIM EL.=14.65'
C=STORM MANHOLE	RIM EL.=14.71'
D=STORM MANHOLE	RIM EL.=14.35'
E=STORM MANHOLE	RIM EL.=14.51'
F=STORM MANHOLE	RIM EL.=14.77'
G=STORM MANHOLE	RIM EL.=14.41'

BENCHMARK TABLE:

B.M. #1 EL.=14.53'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #2 EL.=14.67'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #3 EL.=14.46'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #4 EL.=14.55'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #5 EL.=14.10'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #6 EL.=12.30'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #7 EL.=12.31'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #8 EL.=9.45'	(N.A.V.D. 1988)
SET 5/8" REBAR AND TRAVERSE CAP, L.B. #3943	(N.A.V.D. 1988)
B.M. #9 EL.=12.74'	(N.A.V.D. 1988)
SET 5/8" REBAR AND TRAVERSE CAP, L.B. #3943	(N.A.V.D. 1988)
B.M. #10 EL.=12.59'	(N.A.V.D. 1988)
SET 5/8" REBAR AND TRAVERSE CAP, L.B. #3943	(N.A.V.D. 1988)
B.M. #11 EL.=11.90'	(N.A.V.D. 1988)
SET 5/8" REBAR AND TRAVERSE CAP, L.B. #3943	(N.A.V.D. 1988)
B.M. #12 EL.=15.35'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #13 EL.=13.56'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #14 EL.=14.88'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #15 EL.=17.10'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)
B.M. #16 EL.=14.11'	(N.A.V.D. 1988)
SET MAG NAIL & DISC, L.B. #3943	(N.A.V.D. 1988)