

City of Venice Fireworks Permit Application**Applicant's Name:** Danielle Fredrickson on behalf of Sharky's on the Pier**Address:** 1600 Harbor Drive South, Venice, FL 34285**Phone:** 941-484-7382**Fireworks Supplier:** Zambelli Fireworks Mfg. Co.**Address:** 1 W Camino Real Blvd. Ste 100, Boca Raton, FL 33432**Phone:** 561-395-0955**Cell:** 941-232-2114**Insurance Certificate:** Insurance certificate attached**Date/Time of Display:** December 31, 2013 at 12:00 am (midnight)**Rain/Wind Makeup Date/Time:** N/A**Location of fireworks display:** Venice Fishing Pier, 1600 Harbor Drive South., Venice, FL**License of operator:** ATF approved - Lloyd Lightsey (863) 412-6233**Number of Assistants:** 1-2**Approximate number and kind of fireworks to be discharged:** See attached shell listing.**Manner and place of storage of fireworks prior to delivery to the outdoor fireworks display site:** No storage necessary.

Site diagram including: fireworks discharge point, location of all buildings, significant roadways (including access and control points), lines of communication, the lines behind which the audience is to be restrained, and the location of other possible overhead obstructions, fireworks storage areas, fallout area (including dimensions), North Arrow, likely wind direction, traffic plans indicating flow of vehicles into and out of the site before and after the display, location of emergency vehicle staging area and access routes:

Diagram attached

Attendance Estimate: 1000**Communications Procedures:** Client and technician will communicate via cell phone.

City of Venice Fireworks Permit Application

Weather Monitoring Procedures: HD weather spp on cell phone.

Site Security Procedures: Caution tape and technician monitoring.

Crowd Control Procedures: Same as above. Bystanders will stay outside of fallout zone.

Emergency Forces Notification Procedures: Cell phone

First-aid firefighting: Cell phone

Emergency Medical Services: Cell phone

Description of Firing Method: Electrical

Procedures for inspecting discharge site and fallout area for any defective or unexploded fireworks: 20 minutes after display, technician will check firing site to determine if any devices did not fire properly.

Procedures for disposing of defective fireworks and fireworks materials:

Product will be repackaged in the proper DOT boxes and returned to an approved ATF facility immediately following display.


Description of means of alerting staff of emergencies:


Staff will be alerted by cell phone.

Identification of the signal and means to notify the display operator, sponsor or both to terminate the loading or firing of fireworks in the event a hazard arises during the outdoor display: Will be determined by onsite technician and Firewatch staff.

Identification of the means of notifying public emergency forces: By cell phone.

Emergency reporting instructions describing the information that should be provided to emergency operators: Technician has reporting requirements for any Hazmat issue.

Applicant's Signature:  Date: 12-2-13

Operator's Signature:  Date: 12-2-13



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
12/02/2013

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Allied Specialty Insurance, Inc. 10451 Gulf Boulevard Treasure Island, FL 33706-4814 1-800-237-3355	CONTACT NAME:	
	PHONE (A/C, No, Ext): E-MAIL: ADDRESS:	
INSURED Zambelli Fireworks Mfg Co., dba: Zambelli Fireworks Internationale, etal 20 South Mercer Street New Castle, PA 16101	INSURER(S) AFFORDING COVERAGE	NAIC #
	INSURER A: T.H.E. Insurance Company	12866
	INSURER B:	
	INSURER C:	
	INSURER D:	
	INSURER E:	
	INSURER F:	

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY ☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☒ OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: ☐ POLICY ☒ PROJECT ☐ LOC			CPP0103167-00	05/01/2013	02/01/2014	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	AUTOMOBILE LIABILITY ☒ ANY AUTO ☐ ALL OWNED AUTOS ☒ HIRED AUTOS ☒ SCHEDULED AUTOS NON-OWNED AUTOS			CPP0103167-00	05/01/2013	02/01/2014	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
A	UMBRELLA LIAB ☒ OCCUR ☒ EXCESS LIAB ☐ CLAIMS-MADE DED RETENTION \$			ELP0011081-00	05/01/2013	02/01/2014	EACH OCCURRENCE \$ 9,000,000 AGGREGATE \$ 9,000,000
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N ☐ N/A		WC134082	05/01/2013	02/01/2014	☒ WC STATUTORY LIMITS E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
	Workers Compensation Coverage is afforded in the State(s) of: AZ, CO, CT, DE, FL, GA, IN, KY, LA, MD, MI, MN, MO, NE, NV, NM, NY, NC, OR, PA, SC, SD, TN, TX, UT, VA & WI.						

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

Display Date: December 31, 2013

Rain Date:

Location: Pier, 1600 Harbor Drive South, Venice, FL 34285

RE: General Liability, the following are named as additional insured in respects to the operations of the named insured only:

Sharky's on the Pier, Venice Fishing Pier, City of Venice - ATIMA.

CERTIFICATE HOLDER

Sharky's on the Pier
1600 Harbor Drive South
Venice, FL 34285

CERT # 20201

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2010 ACORD CORPORATION. All rights reserved.

Shell Listing
Sharky's on the Pier
December 31, 2013

Program Segment

Quantity of Shells




25 Shot Cakes	2
35 Shot Fan Cakes	3
49 Shot Fan Cakes	3
70 Shot Z Shape Cakes	1
100 Shot Cakes	9
300 Shot Finale Box	1
408 Shot Z Shape Cakes	1

Site Plan

Sharky's on the Pier NYE Fireworks Display
Fall Out Zone Radius Depicts a 125' Radius

Exceeds NFPA 1123 for 1.5", X Denotes Launch Site



Zambelli

FIREWORKS

Technician Resume

Tech#95079

Lloyd Lightsey
872 Killearn Blvd.
Winter Haven, FL 33880
Cell Phone: 863.412.6233

DOB: 9/23/1960

Years of Experience: 13+

Display References:

Polo Club of Boca Raton

Rouge Waterfront Dining, North Miami Beach

City of Orlando, FL

City of Winter Haven, FL

Hernando High School, Brooksville, FL

Deltona High School, FL

***Florida Marlins**

Islamorada, FL July 4th Program

North Miami, FL Display

*** Denotes Computer fired display**

Material Safety Data Sheet

Date last revised 22 May 2003

I. General Information	
Chemical Name & Synonyms Special Fireworks	Trade Name & Synonyms Display Fireworks
Chemical Family N/A	Formula N/A
Proper DOT Shipping Name Display Fireworks 1.3g	DOT Hazard Classification 1.3g
Manufacturer Zambelli Internationale Fireworks	Manufacturer's Phone Number 800-245-0397 or 724-658-6611
Manufacturer Address 20 S. Mercer St. New Castle, PA. 16103	Chemtrec Phone Number 800-255-3924 Chemtel

II. Ingredients		
Principal Hazardous Components	Percent	Threshold Limit Value (units)
Display Fireworks contain explosive and pyrotechnic compositions and are classified as	N/A	N/A
1.3 Explosives by the U.S. Department of transportation. No chemical components are released during normal handling and storage of shells.	N/A	N/A

III. Physical Data			
Boiling Point (F)	N/A	Specific Gravity (H ₂ O=1)	N/A
Vapor Pressure (mm Hg)	N/A	Percent Volatile By Volume (%)	N/A
Vapor Density (Air=1A)	N/A	Evaporation Rate (—=1)	N/A
Solubility in Water	slight	pH	N/A
Appearance & Odor All chemical composition is contained in hard carboard or plastic casing.			

IV. Fire & Explosion Hazard Data			
Flash Point (Test Method)	N/A	Auto Ignition Temperature	N/A
Flammable Limits	N/A	LEL N/A	UEL N/A
Extinguishing Media DO NOT attempt to fight fire in vicinity of Display Fireworks - Evacuate Area			
Special Fire Fighting Procedures Evacuate fire area immediately and seek shelter. Follow established emergency action plan.			
Unusual Fire & Explosion Hazards Display Fireworks MAY mass explode in a fire situation.			

V. Health Hazard Data			
OSHA Permissible Exposure Limit	N/A	ACGIH Threshold Limit Value	N/A
Carcinogen-NTP Program	NO	Carcinogen- IARC Program	NO
Symptoms of Exposure: Prolonged exposure to smoke generated during shooting of shells may cause shortness of breath and irritation to eyes and mucus membranes.			
Medical Conditions Aggravated By Exposure: Persons with pre-existing respiratory conditions (ie Asthma, emphysema, etc.) should avoid inhalation of smoke.			
Primary Route(s) of Entry: Inhalation			
Emergency First Aid: Move to fresh air and avoid further exposure to smoke			

VI. Reactivity Data	
Stability	Unstable Conditions to Avoid No open flames smoking or moisture in vicinity of stored fireworks
☒ Stable	Avoid friction or impact.
Incompatibility:	Materials to Avoid: DO NOT allow fireworks to get wet.
Hazardous	May Occur Conditions To Avoid
Polymerization	☒ Will Not Occur
Hazardous Decomposition Products: Smoke generated during use of these devices may contain small amounts of carbon monoxide, hydrogen sulfide, nitrogen oxide. Avoid prolonged inhalation.	

VII. Environmental Protection Procedures

Spill Response: Cautiously pick up spilled material and place in cardboard carton. Absolutely no smoking, open flames or sparking metal tools in vicinity of spilled fireworks

Waste Disposal Method: Soak any exposed chemical composition with water. Sweep up with a natural fiber brush and dispose of by burning in compliance with state and local regulations

VIII. Special Protection Information

Eye Protection	N/A	Skin Protection	N/A
Respiratory Protection (specific type)	None required	Ventilation Recommended	N/A
Other Protection	N/A		

IX. Special Precautions

Hygienic Practices In Handling & Storage N/A

Precautions For Repair & Maintenance Of Contaminated Equipment: Cautiously pick up spilled material and place in cardboard carton

Other Precautions: Absolutely no smoking, open flames or sparking metal tools in vicinity of spilled fireworks.

Federal Explosives License/Permit
(18 U.S.C. Chapter 40)

U.S. GOVERNMENT PRINTING OFFICE: 2010 540014-1

In accordance with the provisions of Title XI, Organized Crime Control Act of 1970, and the regulations issued thereunder (27 CFR Part 555), you may engage in the activity specified in this license or permit within the limitations of Chapter 40, Title 18, United States Code and the regulations issued thereunder, until the expiration date shown. **THIS LICENSE IS NOT TRANSFERABLE UNDER 27 CFR 555.43.** See "WARNINGS" and "NOTICES" on reverse.

Direct ATF
Correspondence To
ATF - Chief, FELC
244 Needy Road
Martinsburg, WV 25405-9431

License/Permit
Number

8-PA-073-23-5B-02044

Chief, Federal Explosives Licensing Center (FELC)

Expiration
Date

February 1, 2015

Name

ZAMBELLI FIREWORKS INTERNATIONALE

Premises Address (Changes? Notify the FELC at least 10 days before the move.)

20 SOUTH MERCER STREET
NEW CASTLE, PA 16101-

Type of License or Permit

23-IMPORTER OF EXPLOSIVES

Purchasing Certification Statement

The licensee or permittee named above shall use a copy of this license or permit to assist a transferor of explosives to verify the identity and the licensed status of the licensee or permittee as provided by 27 CFR Part 555. The signature on each copy must be an original signature. A faxed, scanned or e-mailed copy of the license or permit with a signature intended to be an original signature is acceptable. The signature must be that of the Federal Explosives Licensee (FEL) or a responsible person of the FEL. I certify that this is a true copy of a license or permit issued to the licensee or permittee named above to engage in the business or operations specified above under "Type of License or Permit."

Mailing Address (Changes? Notify the FELC of any changes.)

ZAMBELLI FIREWORKS MANUFACTURING CO
ZAMBELLI FIREWORKS INTERNATIONALE
PO BOX 1463
NEW CASTLE, PA 16103-

Licensee/Permittee Responsible Person Signature

W. D. Taylor

Printed Name

Position/Title

President + CEO

Date

9/25/2012

Previous Edition is Obsolete

ZAMBELLI FIREWORKS MANUFACTURING CO 20 SOUTH MERCER STREET 16101 8-PA-073-23-5B-02044 February 1, 2015 23-IMPORTER OF EXPLOSIVES

ATF Form 5400 14-5400 15 Part I
Revised October 2011

Federal Explosives License (FEL) Customer Service Information

Federal Explosives Licensing Center (FELC)
244 Needy Road
Martinsburg, WV 25405-9431

Toll-free Telephone Number: (877) 283-3352
Fax Number: (304) 616-4401
E-mail: FELC@atf.gov

ATF Homepage: www.atf.gov

Change of Address (27 CFR 555.54(a)(1)). Licensees or permittees may during the term of their current license or permit remove their business or operations to a new location at which they intend regularly to carry on such business or operations. The licensee or permittee is required to give notification of the new location of the business or operations not less than 10 days prior to such removal with the Chief, Federal Explosives Licensing Center. The license or permit will be valid for the remainder of the term of the original license or permit. (The Chief, FELC, shall, if the licensee or permittee is not qualified, refer the request for amended license or permit to the Director of Industry Operations for denial in accordance with § 555.54.)

Right of Succession (27 CFR 555.59). (a) Certain persons other than the licensee or permittee may secure the right to carry on the same explosive materials business or operations at the same address shown on, and for the remainder of the term of, a current license or permit. Such persons are: (1) The surviving spouse or child, or executor, administrator, or other legal representative of a deceased licensee or permittee; and (2) A receiver or trustee in bankruptcy, or an assignee for benefit of creditors. (b) In order to secure the right provided by this section, the person or persons continuing the business or operations shall furnish the license or permit for for that business or operations for endorsement of such succession to the Chief, FELC, within 30 days from the date on which the successor begins to carry on the business or operations.

(Continued on reverse side)

Cut Here ✂

Federal Explosives License/Permit (FEL) Information Card

License/Permit Name: ZAMBELLI FIREWORKS MANUFACTURING CO

Business Name: ZAMBELLI FIREWORKS INTERNATIONALE

License/Permit Number: 8-PA-073-23-5B-02044

License Permit Type: 23-IMPORTER OF EXPLOSIVES

Expiration: February 1, 2015

Please Note: Not Valid for the Sale or Other Disposition of Explosives.